

A checklist of Cantharidae (Coleoptera) of the ex-USSR

Список Cantharidae (Coleoptera) бывшего СССР

Sergey V. Kazantsev
С.В. КазанцевDonetskaya Str. 13-326, Moscow 109651 Russia
ул. Донецкая 13-326, Москва 109651 Россия.

KEY WORDS: Coleoptera, Cantharidae, synonymy, taxonomy, checklist, Palaearctic, ex-USSR.

КЛЮЧЕВЫЕ СЛОВА: Coleoptera, Cantharidae, синонимия, таксономия, список, Палеарктика, бывший СССР.

ABSTRACT: Provided is a checklist of the family Cantharidae of the former USSR that includes 29 genera and 318 species of soldier-beetles, of which 23 genera and 95 species are from Russia. *Silotrachelus* Solsky, 1881, syn.n. is synonymized with *Cantharis* Linnaeus, 1758; *Cordicantharis caspica* (Reitter, 1898), syn.n. — with *Cantharis cyanipennis* Faldermann, 1835; *Rhagonycha limbata* Thomson, 1864, syn.n. — with *Rhagonycha nigriventris* Motschulsky, 1860; *Malthodes nikitskyi* Kazantsev, 1995, syn.n. — with *Malthodes kerzhneri* Wittmer, 1979; *Podabrus alpinus* var. *iljini* Barovskij, 1908, syn.n. — with *Podabrus alpinus* Paykull, 1798; *Podabrus dilaticollis* var. *distincticollis* Pic, 1905, syn.n. — with *Podabrus dilaticollis* Motschulsky, 1860; *Rhagonycha vitticollis* var. *obscurior* Pic, 1900, syn.n. — with *Rhagonycha vitticollis* Menetriez, 1832. *Islamocantharis auroraensis* Kazantsev, 1989, rev.n. is revalidated from synonymy with *Cordicantharis cyanipennis* (Faldermann, 1835).

РЕЗЮМЕ: Представлен список семейства Cantharidae бывшего СССР, который включает 29 родов и 318 видов жуков-мягкотелок, из которых 23 рода и 95 видов приводится для России. *Silotrachelus* Solsky, 1881, syn.n. сводится в синонимы к *Cantharis* Linnaeus, 1758; *Cordicantharis caspica* (Reitter, 1898), syn.n. — к *Cantharis cyanipennis* Faldermann, 1835; *Rhagonycha limbata* Thomson, 1864, syn.n. — к *Rhagonycha nigriventris* Motschulsky, 1860; *Malthodes nikitskyi* Kazantsev, 1995, syn.n. — к *Malthodes kerzhneri* Wittmer, 1979; *Podabrus alpinus* var. *iljini* Barovskij, 1908, syn.n. — к *Podabrus alpinus* Paykull, 1798; *Podabrus dilaticollis* var. *distincticollis* Pic, 1905, syn.n. — к *Podabrus dilaticollis* Motschulsky, 1860; *Rhagonycha vitticollis* var. *obscurior* Pic, 1900, syn.n. — к *Rhagonycha vitticollis* Menetriez, 1832. *Islamocantharis auroraensis* Kazantsev, 1989, rev.n. восстанавливается из синонимии *Cordicantharis cyanipennis* (Faldermann, 1835).

Introduction

No checklist of soldier-beetles of Russia and adjacent territories (within the limits of the former USSR)

has been published since Jakobson's "Beetles of Russia" (1905–1916). During about a century that followed many new taxa had been added, bringing the number of cantharids to a total of 316 species belonging in 29 genera, and many taxonomical changes had been introduced, making the necessity of updating such a list quite evident. [Jacobson's list included 13 genera and 152 species, quite a number of which have been placed in synonymy.]

A bibliographic reference in the checklist that follows is given for every taxon of the genus and species level, as well as a note on the distribution of species within and beyond the regarded territory. Some of the distribution records are based on literature sources, provided that additional data confirms a possibility of such distribution.

The following synonymical and taxonomic changes seemed necessary:

Cantharis Linnaeus, 1758, type species: *Cantharis fusca* Linnaeus, 1758

= *Silotrachelus* Solsky, 1881, type species: *Silotrachelus semirufus* Solsky, 1881, **syn.n.**

The description of *Silotrachelus semirufus*, of which no type has so far been found, clearly indicates that this is a *Cantharis* species with reduced wings and elytra. Several such forms are known from the mountains of Central Asia, and it is quite probable that *C. semirufus* is a senior synonym of one them.

Cordicantharis cyanipennis (Faldermann, 1835)

= *Cordicantharis caspica* (Reitter, 1898), **syn.n.**

The description of *Cordicantharis cyanipennis*, no type specimens of which are known, corresponds to *Cordicantharis caspica*. Both taxa are described from Iran.

Rhagonycha nigriventris Motschulsky, 1860

= *Rhagonycha limbata* Thomson, 1864, **syn.n.**

The junior taxon previously treated as a subspecies of *Rh. nigriventris* proved to have no difference from the latter and is hereby synonymized.

Malthodes kerzhneri Wittmer, 1979

= *Malthodes nikitskyi* Kazantsev, 1995, **syn.n.**

The study of the type of *M. kerzhneri* described from Japan has shown the identity of the two taxa.

Podabrus alpinus var. *iljini* Barovskij, 1908, **syn.n.** is synonymized with *Podabrus alpinus* Paykull, 1798.

Podabrus dilaticollis var. *distincticollis* Pic, 1905, **syn.n.** is synonymized with *Podabrus dilaticollis* Motschulsky, 1860.

Rhagonycha vitticollis var. *obscurior* Pic, 1900, **syn.n.** is synonymized with *Rhagonycha vitticollis* Menetriez, 1832.

Islamocantharis auroraensis Kazantsev, 1989, **n.rev.** is revalidated from synonymy with *Cordicantharis cyanipennis* (Faldermann, 1835)

The two species distinguish from each other by at least two important characters, namely, absence of the blue metallic tint on the elytra and bifid tarsal claws in *auroraensis* vs. presence of the blue metallic elytral tint (“cyanipennis” meaning “with deep blue elytra” in Latin) and simple tarsal claws in *cyanipennis*.

Of old synonymies only these are given that relate to the territory of the ex-USSR and/or have been in common use until recently.

A checklist of Cantharidae (Coleoptera) of the ex-USSR

CANTHARIDAE Imhoff, 1856 (1815)

CANTHARINAE Imhoff, 1856 (1815)

PODABRINI Leconte, 1881

***Asiopodabrus* Wittmer, 1982: 121**

type species *Podabrus taiwanus* Wittmer, 1982

1. *ainu* Nakane & Makino, 1990: 184 — Russian Far East (Kurils, Sakhalin) — Japan (Hokkaido, Honshu)

2. *kurbatovi* Kazantsev, 1998: 573 — Russian Far East

***Dichelotarsus* Motschulsky, 1859: 400**

type species: *Rhagonycha piniphila* Eschscholtz, 1830

1. *angusticollis* Motschulsky, 1860: 117 — East Siberia, Russian Far East — Mongolia, Japan (Hokkaido)

2. *barkalovi* Kazantsev, 1998: 572 — East Siberia

3. *flavimanus* Motschulsky, 1860: 116 — Northern part of European Russia, West Siberia, East Siberia, Russian Far East — Central and Northern Europe, Mongolia

obscuripes Sahlberg, 1871:435 (*Podabrus*)

callosus Sahlberg, 1887: 31 (*Podabrus*)

ratteri Reitter, 1906: 35 (*Podabrus*)

4. *kolyomensis* Kazantsev, 1992: 274 — Russian Far East

5. *lapponicus* Gyllenhal, 1810: XV (*Cantharis*) — Northern part of European Russia, West Siberia, East Siberia, Russian Far East — Scandinavia, Mongolia, Japan (Hokkaido)

amurensis Heyden, 1880: 127 [RN] (*Podabrus*)

bytonii Mannerheim, 1849: 231 (*Cantharis*)

flavipes Motschulsky, 1860: 116 [HM] nec Fischer de Faldermann, 1842

karelini Marseul, 1864: 12 (*Podabrus*)

labiatus Motschulsky, 1860: 117

nervosus Motschulsky, 1860: 117

6. *recticollis* Motschulsky, 1860: 117 — Russian Far East

Species incertae sedis

7. *lunulatus* Fischer de Waldheim, 1844: 34 (*Podabrus*) — “Ross. merid.”

8. *nigriventris* Fischer de Waldheim, 1844: 33 (*Podabrus*) — Ukraine

9. *vittatus* Fischer de Waldheim, 1844: 34 (*Podabrus*) — “Tartaria magna”

***Hatchiana* Fender, 1966: 321**

type species *Hatchiana arizonensis* Fender, 1966

1. *rosinae* Pic 1904: 25 (*Podabrus*) — Russian Far East — China

***Podabrus* Westwood, 1840: 27**

type species *Cantharis alpinus* Paykull, 1798

1. *alpinus* Paykull, 1798: 259 (*Cantharis*) — Northern and Central parts of European Russia, West Siberia, East Siberia, Belarus, Estonia, Latvia, Lithuania, Ukraine — Western Europe, Mongolia

var. *iljini* Barovskij, 1908: 174

2. *annulatus* Mannerheim, 1825: 28 (*Cantharis*) — Northern part of European Russia, West Siberia, East Siberia, Russian Far East — Mongolia, China

altaicus Pic, 1902: 47

ochoticus Motschulsky, 1860: 115

pallidior Pic, 1902: 47

3. *dilaticollis* Motschulsky, 1860: 115 — East Siberia, Russian Far East

var. *distincticollis* Pic, 1905: 113

4. *longissimus* Pic, 1905: 113 — Russian Far East (Sakhalin, Kurils) — Japan (Hokkaido, Honshu)

5. *marginellus* Motschulsky, 1860: 116 — East Siberia, Russian Far — East Mongolia

6. *maritimus* Kazantsev, 1996: 205 — Russian Far East

7. *rotundimargo* Kazantsev, 1996: 203 — Russian Far East

tribe CANTHARINI Imhoff, 1856 (1815)

***Ancistronycha* Maerkel, 1851/1852: 589**

type species: *Cantharis abdominalis* Fabricius, 1798

1. *erichsoni erichsoni* Bach, 1854: 68 — Ukraine — Central Europe

erichsoni kurbatovi Kazantsev, 1989: 242 — Southern part of European Russia, Georgia

2. *violacea* Paykull, 1798: 260 (*Cantharis*) — Northern, Central and Southern parts of European Russia, West Siberia, Ukraine, “Baltic states” — Western Europe

violacea Dietrich, 1857: 118

***Athemus* Lewis, 1895: 110**

type species: *Telephorus suturellus* Motschulsky, 1860

subgenus ***Athemus* Lewis, 1895: 110**

type species: *Telephorus suturellus* Motschulsky, 1860

1. *suturellus suturellus* Motschulsky, 1860: 10 (*Telephorus*) — Russian Far East — Japan (Hokkaido)

subgenus ***Andrathemus* Wittmer, 1978: 155**

type species *Athemus purpurascens* Wittmer, 1978

2. *babai* Ishida, 1986: 199 — Russian Far East (Kurils) — Japan (Honshu, Kyushu)

subgenus ***Athemellus* Wittmer, 1972: 123**

type species *Athemellus maculithorax* Wittmer, 1972

3. *adusticollis* Kiesenwetter, 1874: 274 (*Cantharis*) — Russian Far East — Japan (Hokkaido, Honshu, Shikoku, Kyushu)

4. *nigrimembris* Kazantsev, 1994: 13 — Russian Far East

5. *striatus* Kazantsev, 1994: 11 — Russian Far East

***Bactrocantharis* Barovskij, 1926: 235**

type species *Bactrocantharis kaznakovi* Barovskij, 1926

1. *ciliatocollis* Pic, 1906: 83 — Tadzhikistan

kuchleri Pic, 1913: 187

kaznakovi Barovskij, 1926: 236

2. *bogatchevi* Kazantsev, 1989: 240 — Uzbekistan

3. *ruzickai* Svihla, 1992: 330 — Uzbekistan

4. *sohnsteini* Kazantsev, 1998d: 865 — Tadzhikistan

***Bactronycha* Kazantsev, 2001: 1077**

type species *Bactronycha tamerlan* Kazantsev, 2001

1. *tamerlan* Kazantsev, 2001: 1078 — Uzbekistan

***Boveycantharis* Wittmer, 1969: 78**

type species *Metacantharis rufimanoides* Wittmer, 1969

1. *funesta* Faldermann, 1835: 190 (*Cantharis*) — Armenia, Azerbaijan, Georgia

2. *rufimana* Menetriez, 1832: 161 (*Cantharis*) — Southern part of European Russia, Azerbaijan, Armenia, Georgia — Turkey

***Cantharis* Linnaeus, 1758: 400**

type species *Cantharis fusca* Linnaeus, 1758

Silotrachelus Solsky, 1881: 31 type species: *Silotrachelus semirufus* Solsky, 1881

subgenus *Cantharis* Linnaeus, 1758: 400

type species *Cantharis fusca* Linnaeus, 1758

Silotrachelus Solsky, 1881: 31 type species: *Silotrachelus semirufus* Solsky, 1881

1. *annularis* Menetriez, 1836: 150 — Central and Southern parts of European Russia, West Siberia, East Siberia, UK, Kazakhstan — Turkey, Iran, Mongolia

oculata Gebler, 1827: 316 [HM] nec Thunberg, 1784 (now *Hedybius*)
2. *beckeri* Pic, 1902: 56 (*Rhagonycha*) — Southern part of European Russia

3. *biplagiata* Ballion, 1870: 351 (*Telephorus*) — East Siberia, Kazakhstan, Kirghizia, Uzbekistan — Mongolia, China

auliensis Pic, 1914: 4

bimaculifera Heyden, 1888: 41

biplagiaticollis Pic, 1914: 5

chianschanensis Pic, 1913: 187

dia Reitter, 1898: 123

funestula Pic, 1906: 82

kiritschenkoi Barovskij, 1926: 240

uniplagiata Pic, 1914: 5

4. *boroveci* Svihla, 1999: 146 — Armenia

5. *brevipennis* Faldermann, 1835: 189 — Armenia — Turkey, Middle East

6. *bubsequa* Des Gozis, 1882: 198 — Armenia

7. *ciliciensis* Bourgeois, 1900: 152 — Azerbaijan — Turkey, Iran

8. *daurica* Gebler, 1832: 45 — East Siberia, Russian Far East — Mongolia

mannerheimi Pic, 1902: 63 [also HM] nec Maeklin, 1875 (now in Meloidae)

9. *dobrzhanskii* Barovskij, 1926: 238 — Kirghizia

monticola Barovskij, 1926: 239

10. *edentula* Baudi a Selve, 1871: 106 — Southern part

of European Russia

11. *emilieae* Svihla, 1992: 319 — Uzbekistan

12. *fallaciosa* Barovskij, 1926: 237 — Kirghizia

angustiplaga Barovskij, 1926: 237

semispoliata Barovskij, 1926: 237

spoliata Barovskij, 1926: 237

13. *figurata* Mannerheim, 1843: 92 — Northern, Central and Southern parts of European Russia, West and East Siberia, Russian Far East, Belarus, Estonia, Latvia, Lithuania, Ukraine, Armenia, Georgia, Kazakhstan — Western Europe, Japan

14. *flavilabris* Fallen, 1807: 12 — Northern, Central and Southern parts of European Russia, Belarus, Estonia, Latvia, Lithuania, Ukraine, Armenia — Western Europe, Turkey
fulvicollis Fabricius, 1792: 218 [HM] nec Scopoli, 1763

15. *foetida* Menetriez, 1832: 162 — Southern part of European Russia

16. *forticornis* Heyden, 1885: 287 — Kirghizia, Uzbekistan

andischanensis Pic, 1914: 4

arisi Pic, 1906: 82

nigropubescens Barovskij, 1926: 239

17. *fusca* Linnaeus, 1758: 401 — Northern, Central and Southern parts of European Russia, West Siberia, Belarus, Estonia, Latvia, Lithuania, Ukraine — Western Europe

18. *jacobseni* Barovskij, 1926: 237 — Kazakhstan

heptapotamica Barovskij, 1928: 97

19. *kugartensis* Barovskij, 1926: 239 — Kirghizia

20. *liburnica* Depoli, 1912: 101 — Ukraine — Central Europe

21. *livida* Linnaeus, 1758: 401 — Northern, Central and Southern parts of European Russia, West Siberia, Belarus, Estonia, Latvia, Lithuania, Ukraine, Armenia, Azerbaijan, Georgia — Western Europe, Turkey, Middle East, North America

22. *luteolimbata* Pic, 1902: 47 — Russian Far East — China, Mongolia

23. *melaspis* Chevrolat, 1854: 435 (*Telephorus*) — Armenia, Georgia — Turkey, Iran, Middle East

24. *montana* Stierlin, 1889: 76 — Armenia — Central Europe

25. *nigra* De Geer, 1774: 72 (*Telephorus*) — Northern and Central parts of European Russia, West Siberia, Belarus, Estonia, Ukraine — Western Europe

bicolor Herbst, 1783: 108

thoracica Olivier, 1790: t.1, f. 2, a–b

26. *nigricans* Mueller, 1776: 61 — Northern, Central and Southern parts of European Russia, Belarus, Estonia, Latvia, Lithuania, Ukraine, Armenia — Western Europe, Turkey

27. *nigricolor* Pic, 1906: 83 — Russian Far East — China, Korea

28. *obscura* Linnaeus, 1758: 402 — Northern, Central and Southern parts of European Russia, West Siberia, Belarus, Estonia, Latvia, Lithuania, Ukraine — Western Europe

29. *oculimarginalis* Hicker, 1935: 292 — Uzbekistan — China

ferganica Svihla, 1992: 302

30. *pagana* Rosenhauer 1847: 20 — Ukraine — Western Europe

albomarginata Maerkel, 1851/1852: 592

fibulata Maerkel, 1851/1852: 593

31. *pallida* Goeze, 1777: 541 — Northern, Central and Southern parts of European Russia, West Siberia, East Siberia, Russian Far East, Belarus, Ukraine, “Baltic states” — Japan, Mongolia, Korea

- baikalica* Pic, 1906: 83
melanogastrica Motschulsky, 1860: 117
pectoralis Motschulsky, 1860: 118
 32. *paludosa* Fallen, 1807: 12 — Northern and Central parts of European Russia, West Siberia, East Siberia, Estonia, Ukraine — Western Europe
 33. *pellucida* Fabricius, 1792: 214 — Northern, Central and Southern parts of European Russia, West Siberia, Belarus, Estonia, Latvia, Lithuania, Ukraine — Western Russia
 34. *pulicaria* Fabricius, 1781: 260 — Ukraine, “Baltic states” — Central Europe, Turkey
 35. *pumilio pumilio* Heyden, 1885: 288 — Uzbekistan
pumilio reductipennis Wittmer, 1966: 491 — Kirghizia
 36. *quadripunctata* Mueller, 1776: 63 (*Telephorus*) — Central part of European Russia, West Siberia Belarus, Estonia, Latvia, Lithuania, Ukraine, Armenia — Central and Northern Europe, Iran, Turkey
 37. *rufa* Linnaeus, 1758: 401 — Northern, Central and Southern parts of European Russia, Belarus, Estonia, Latvia, Lithuania, Ukraine, Kazakhstan, Uzbekistan, Tadzhikistan — Western Europe, Afghanistan, China, North America
korbi Pic, 1912: 82
tenuilimbatus Ballion, 1870: 352 (*Telephorus*)
turkestanica Pic, 1913: 187
 38. *rustica* Fallen, 1807: 9 — Northern, Central and Southern parts of European Russia, West Siberia, Belarus, Estonia, Latvia, Lithuania, Ukraine — Western Europe, Turkey
 39. *schoeni* Svihla, 1992: 319 — Kirghizia, Tadzhikistan
 40. *semirufa* Solsky, 1881: 33 (*Silotrachelus*) — Kirghizia
 41. *terminata* Faldermann, 1835: 192 — Central and Southern parts of European Russia, Ukraine, Azerbaijan, Armenia, Georgia — Iran, Turkey, Middle East
melanoscelis Kolenati, 1846: 41
sudetica Letzner, 1846: 75
 41. *tristis* Fabricius, 1798: 68 — Ukraine — Western Europe
 42. *voriseki* Svihla, 1992: 307 — Kazakhstan
 43. *zolitikhini* Kazantsev, 1994: 15 — Russian Far East
- subgenus ***Cyrtomoptila* Motschulsky, 1859: 398**
 type species *Cantharis lateralis* Linnaeus, 1758
Absidiella Wittmer, 1972: 130 type species *Pseudoabsidia kaszabi* Wittmer, 1971
42. *inlateralis* Pic, 1902: 55 — Russian Far East
argentina Barovskij, 1929: 266
raddensis Pic, 1904: 26
 43. *lateralis* Linnaeus, 1758: 402 — Northern, Central and Southern parts of European Russia, Belarus, Estonia, Latvia, Lithuania, Ukraine, Georgia, Kazakhstan, Kirghizia — Europe, North Africa, Afghanistan, Turkey
 44. *lucida* Pic, 1906: 89 — Tadzhikistan — Afghanistan
 45. *mongolica* Pic, 1906: 83 — Kazakhstan — Mongolia, Afghanistan, Northern India
kaszabi Wittmer, 1971: 192 (*Pseudoabsidia*)
 46. *podistroides* Svihla, 1992: 312 — Uzbekistan
 47. *pygmaea* Menetriez, 1832: 162 — Azerbaijan, Turkmenistan, Uzbekistan — Iran
inforticornis Pic, 1913: 187
- Cordicantharis* Svihla, 1999: 160**
 type species *Cantharis cordicollis* Kuester, 1854
1. *cordicollis* Kuester, 1854: 61 (*Cantharis*) — Southern part of European Russia, Armenia, Azerbaijan, Georgia — Turkey
 2. *longicollis* Kiesenwetter, 1859: 24 (*Telephorus*) — Ukraine — Central Europe, Turkey
 3. *talyschensis* Pic, 1900: 182 (*Cantharis*) — Azerbaijan
- Cratosilis* Motschulsky, 1860: 399**
 type species: *Rhagonycha redtenbacheri* Maerker, 1852 (*Cratosilis denticollis* Schummel, 1843/1844)
Pygidia Mulsant & Rey, 1861: 191 type species: *Pygidia hypocrtita* Mulsant & Rey, 1861
1. *denticollis* Schummel, 1843/1844: 194 (*Cantharis*) — Ukraine — Western Europe
- Habronychus* Wittmer, 1981: 399**
 type species *Malthinus sauteri* Pic, 1934
- subgenus ***Habronychus* Wittmer, 1981: 399**
 type species *Malthinus sauteri* Pic, 1934
1. *providus* Kiesenwetter, 1874: 269 (*Cantharis*) — Russian Far East — Japan (Hokkaido, Honshu, Shikoku, Kyushu)
- Islamocantharis* Wittmer & Magis, 1978: 134**
 type species: *Islamocantharis orientalis* Wittmer & Magis, 1978
- subgenus ***Islamocantharis* Wittmer & Magis, 1978: 134**
 type species: *Islamocantharis orientalis* Wittmer & Magis, 1978
1. *auroraensis* Kazantsev, 1989: 244 — Armenia, Azerbaijan — Iran
 2. *orientalis* Wittmer & Magis, 1978: 134 — Armenia — Iran, Turkey
- Metacantharis* Bourgeois, 1886: 103**
 type species: *Cantharis discoidea* Ahrens, 1812
1. *araxicola* Reitter, 1891: 25 (*Cantharis*) — Armenia — Turkey, Iran
 2. *attalia* Pic, 1902: 55 (*Cantharis*) — Tadzhikistan, Uzbekistan
bucharica Pic, 1914: 5 (*Cantharis*)
diversenotata Pic, 1913: 187 (*Cantharis*)
korzhinskii Barovskij, 1926: 243
senckenbergi Pic, 1913: 187 (*Cantharis*)
 3. *clypeata* Illiger, 1798: 299 — Central and Southern parts of European Russia, Lithuania, Ukraine, Armenia — Europe, North Africa, Iran
haemorrhoidalis Fabricius, 1792: 216 (*Cantharis*) [HM] nec Gmelin, 1790
signata Faldermann, 1835: 190 (*Cantharis*)
 4. *raptor* Ballion, 1870: 351 (*Telephorus*) — Kazakhstan, Tadzhikistan, Turkmenistan, Uzbekistan — Afghanistan
samarkandensis Pic, 1913: 185
submarginalis Ballion, 1870: 351 (*Telephorus*)
- Pacificanthia* Kazantsev, 2001: 43**
 type species *Telephorus consors* Leconte, 1851
1. *knirschi* Pic, 1929: 5 (*Cantharis*) — Russian Far East
- Pakabsidia* Wittmer, 1972: 124**
 type species *Pakabsidia swatensis* Wittmer, 1972
1. *olexai* Svihla, 1983: 3 — Georgia
- Podistra* Motschulsky, 1839: 78**
 type species *Podistra alpina* Motschulsky, 1839

subgenus *Podistra* Motschulsky, 1839: 78type species *Podistra alpina* Motschulsky, 1839

1. *alpina* Motschulsky, 1839: 79 — Southern part of European Russia
2. *circassicola* Reitter, 1889: 100 — Southern part of European Russia
3. *piceolineata* Pic, 1922: 18 — Southern part of European Russia
4. *rufomaculata* Kazantsev, 1998: 692 — Southern part of European Russia
5. *starcki* Ganglbauer, 1922: 72 — Southern part of European Russia

subgenus *Pseudoabsidia* Wittmer, 1969: 128type species *Telephorus prolixus* Maerkel, 1851/1852

6. *arnoldii* Kazantsev, 1998: 692 — Southern part of European Russia
7. *caucasica* Ganglbauer, 1922: 70 — Southern part of European Russia
8. *chekanovskii* Kazantsev, 1994: 16 — East Siberia
9. *cherkessica* Kazantsev, 1998: 693 — Southern part of European Russia
10. *ossetica* Kazantsev, 1998: 693 — Southern part of European Russia
11. *unicolor* Faldermann, 1835: 195 (*Cantharis*) — Southern part of European Russia
12. *ussurica* Wittmer, 1979: 138 — Russian Far East, West Siberia
13. *wittmeri* Kazantsev, 1992: 44 — Georgia

subgenus *Hemipodistra* Ganglbauer, 1922: 70type species *Hemipodistra rupicola* Kiesenwetter, 1863

14. *motschulskyi* Kazantsev, 2001: 1079 — Southern part of European Russia
15. *savistikorum* Kazantsev, 2001: 1080 — Southern part of European Russia

subgenus *Absidia* Mulsant, 1862: 132type species *Cantharis pilosa* Paykull, 1798 (*Podistra schoenherri* Dejean, 1837)

16. *rufotestacea* Letzner, 1844/1845: 72 (*Cantharis*) — Northern and Central part of European Russia, West Siberia, East Siberia, Ukraine — Western Europe
17. *schoenherri* Dejean, 1837: 90 (*Cantharis*) — Northern and Central part of European Russia, West Siberia, East Siberia, Belarus, Estonia, Latvia, Lithuania, Ukraine — Western Europe

pilosa Paykull, 1798: 264 (*Cantharis*) [HM] nec Scopoli, 1763*Rhagonycha* Eschscholtz, 1830: 64type species *Cantharis fulva* Scopoli, 1763subgenus *Rhagonycha* Eschscholtz, 1830: 64type species *Cantharis fulva* Scopoli, 1763
Nastonycha Motschulsky, 1852/1853: 77 type species *Nastonycha brachyptera* Motschulsky, 1852/1853

1. *abchasica* Pic, 1900b: 183 — Southern part of European Russia, Armenia, Georgia
2. *aibgaena* Kazantsev, 1992: 47 — Southern part of European Russia
3. *alagoesa* Reitter, 1893: 111 (*Nastonycha*) — Southern part of European Russia, Armenia
4. *alpicola* Barovskij, 1928: 98 — East Siberia, Kazakhstan, Kirghizia, Uzbekistan — Mongolia

kiritschenkoi Barovskij, 1929: 267*shavrovi* Barovskij, 1928: 99

5. *amaguensis* Svihla, 1995: 74 — East Siberia
6. *anapensis* Dahlgren, 1985: 88 — Southern part of European Russia
7. *angulosa* Kazantsev, 1994: 77 — East Siberia
8. *asiatica* Wittmer, 1971: 195 — Russian Far East
9. *atra* Linnaeus, 1767: 649 (*Cantharis*) — Northern, Central and Southern parts of European Russia, West Siberia, Belarus, Estonia, Latvia, Lithuania, Ukraine — Western Europe
10. *atriceps* Pic, 1922: 18 — Southern part of European Russia
11. *atrovaria atrovaria* Wittmer, 1971: 192 — East Siberia, Russian Far East, Kazakhstan — Mongolia
12. *atrovaria iremelica* Kazantsev, 1994: 95 — West Siberia
13. *basarukini* Kazantsev, 1994: 94 — Russian Far East
14. *bohaci* Svihla, 1990: 197 — Southern part of European Russia
15. *brachyptera* Motschulsky, 1852/1853: 77 (*Nastonycha*) — Southern part of European Russia
16. *carpathica* Ganglbauer, 1896: 183 — Ukraine — Central Europe
17. *caspiaca* Wittmer, 1972: 65 — Southern part of European Russia, Georgia — Iran
18. *caucasica* Wittmer, 1972: 65 — Southern part of European Russia, Armenia, Georgia
19. *chevrolati* Marseul, 1864: 80 — Southern part of European Russia, Georgia — North Africa, Turkey, Middle East
20. *circassicola* Reitter, 1888: 207 — Southern part of European Russia
21. *compacta* Wittmer, 1972: 75 — Georgia
22. *coreana* Pic, 1921: 28 — Russian Far East — Japan (Hokkaido), Korea
23. *dolini* Svihla, 1995: 78 — East Siberia, Russian Far East
24. *elongata* Fallen, 1807: 11 (*Cantharis*) — Northern and Central parts of European Russia, West Siberia, East Siberia, Belarus, Estonia, Latvia, Lithuania, Ukraine — Western Europe
25. *erevanensis* Dahlgren, 1985: 89 — Armenia
26. *flavicornis* Kazantsev, 1992: 46 — Georgia
27. *flavotibialis* Medvedev & Ryvkin, 1989: 138 — Russian Far East Mongolia
28. *fonticola* Kazantsev, 1994: 83 — Russian Far East
29. *fugax fugax* Mannerheim, 1843: 89 — Northern part of European Russia, Belarus, Lithuania — Western Europe
30. *fugax strejceki* Svihla, 1993: 268 — Southern part of European Russia
31. *fulva* Scopoli, 1763: 39 (*Cantharis*) — Central and Southern parts of European Russia, Belarus, Estonia, Latvia, Lithuania, Ukraine, Azerbaijan, Georgia, Turkmenistan — Western Europe, North Africa, Middle East, Iran
32. *geniculata* Gebler, 1832: 46 — East Siberia, Russian Far East — Japan (Hokkaido), Mongolia
33. *amurensis* Pic, 1902: 25
34. *georgiana* Kazantsev, 1992: 49 — Georgia
35. *ghilanensis* Dahlgren, 1985: 89 — Armenia
36. *hyperborea* Kazantsev, 1994: 84 — Russian Far East
37. *indistincta* Medvedev & Ryvkin, 1989: 140 — East Siberia, Russian Far East — Korea, Mongolia
38. *kabakovi* Kazantsev, 1994: 81 — Russian Far East
39. *kobiensis* Svihla, 1993: 268 — Southern part of European Russia

- kobiensis alexeevi* Kazantsev, 1992: 50 — Southern part of European Russia
38. *kubanensis* Pic, 1900: 184 — Southern part of European Russia
39. *kurbatovi* Kazantsev, 1994: 73 — Russian Far East
40. *kurilica* Wittmer, 1971: 194 — Russian Far East — China, Japan (Hokkaido)
41. *latiuscula* Sahlberg, 1887: 32 — West Siberia, East Siberia, Russian Far East — Japan (Hokkaido) Mongolia
- distinctipes* Pic, 1905: 121
42. *lederi* Pic, 1909: 177 — East Siberia, Russian Far East — Korea
43. *lencoranica* Kazantsev, 1992: 50 — Azerbaijan
44. *lignosa* Mueller, 1764: 16 (*Cantharis*) — Northern and Central parts of European Russia, Belarus, Estonia, Latvia, Lithuania, Ukraine — Western Europe, Turkey
45. *lutea* Mueller, 1764: 16 (*Cantharis*) — Ukraine — Western Europe
- banatica* Rosenhauer, 1847: 17 (*Podabrus*)
46. *maculicollis* Maerker, 1851/1852: 607 — Ukraine — Western Europe
47. *mandibularis siberiana* Kazantsev, 1994: 93 — East Siberia, Russian Far East
48. *matisi* Kazantsev, 1994: 85 — Russian Far East
49. *melanodera* Eschscholtz, 1818: 462 (*Cantharis*) — Southern part of European Russia
50. *mimica* Medvedev & Ryvkin, 1989: 140 — Russian Far East
51. *mlikovskiyi* Svihla, 1995: 74 — East Siberia — Korea
52. *morio* Kisenwetter, 1851/1852: 609 — Ukraine — Western Europe
53. *nigriceps* Walzl, 1838: 269 (*Cantharis*) — Ukraine — Western Europe, Turkey
54. *nigripes* Redtenbacher, 1842: 13 — Northern and Central parts of European Russia, Lithuania, Ukraine — Western Europe
55. *nigriventris* Motschulsky, 1860: 117 — Northern and Central parts of European Russia, West Siberia, East Siberia, Russian Far East, Belarus, Estonia, Latvia, Lithuania, Ukraine, Kazakhstan — Western Europe, Mongolia
- limbata* Thomson, 1864: 191
56. *pacifica* Kazantsev, 1994: 80 — Russian Far East
57. *persica* Pic, 1933: 10 — Southern part of European Russia, Azerbaijan, Georgia, Turkmenistan — Iran
- pfefferi* Svihla, 1977: 179
58. *peteri* Svihla, 1995: 80 — Turkmenistan
59. *planicollis* Kazantsev, 1994: 76 — Russian Far East
60. *prijutensis* Kazantsev, 1992: 45 — Georgia
61. *pseudoreitteri* Kazantsev, 2001: 1080 — Georgia
62. *reflexa* Wittmer, 1972: 71 — Turkmenistan
63. *reitteri* Dahlgren, 1975: 109 — Southern part of European Russia
64. *rorida* Kisenwetter, 1867: 46 — Ukraine — Western Europe
65. *rossica* Wittmer, 1972: 73 — Southern part of European Russia
66. *rostri* Pic, 1900: 183 — Southern part of European Russia
67. *roubali* Svihla, 1977: 180 — Southern part of European Russia
68. *sareptana* Marseul, 1868: 178 — Southern part of European Russia, Ukraine
69. *saurica* Kazantsev, 1994: 82 — Kazakhstan
70. *sibirica* Wittmer, 1971: 198 — Russian Far East — Japan (Hokkaido)
71. *sihotana* Kazantsev, 1994: 75 — Russian Far East
72. *stusaki* Svihla, 1992 — East Siberia — Mongolia
73. *talyschensis* Khnzorjan, 1959: 58 — Azerbaijan
74. *testacea* Linnaeus, 1758: 403 (*Cantharis*) — Northern, Central and Southern parts of European Russia, West Siberia, East Siberia, Belarus, Estonia, Latvia, Lithuania, Ukraine — Western Europe
75. *transbaikalica* Pic, 1906: 89 — East Siberia, Kazakhstan — Mongolia
- jakovlevi* Barovskij, 1909: 293
- smirmovi* Barovskij, 1909: 294
76. *transita* Wittmer, 1971: 195 — East Siberia, Russian Far East — Japan (Tsushima), Korea
77. *translucida* Krynicki, 1832: 99 (*Cantharis*) — Ukraine — Western Europe
78. *tseiana* Kazantsev, 1992: 46 — Southern part of European Russia
79. *ulaensis* Kazantsev, 1994: 78 — East Siberia — Japan (Hokkaido), Mongolia
80. *uralensis* Dahlgren, 1972: 131 — East Siberia
81. *vicina* Baudi a Selve, 1871: 108 — Ukraine
82. *vitticollis* Menetriez, 1832: 162 — Southern part of European Russia, Armenia, Azerbaijan, Georgia — Iran
- obscurior* Pic, 1900b: 184
83. *voriseki* Svihla, 1977: 179 — Southern part of European Russia
- subgenus **Ussurycha** Kazantsev, 1995: 91
type species: *Rhagonycha lederi* Kazantsev, 1994 [HM] nec Pic, 1909 (*Rhagonycha kazantsevi* Svihla, 1995)
84. *kazantsevi* Svihla, 1995: 76 — Russian Far East
- Sogdocanthis** Kazantsev, 1993: 154
type species *Sogdocanthis chimtargensis* Kazantsev, 1993
1. *chimtargensis* Kazantsev, 1993: 155 — Tadzhikistan
- Stenothemus** Bourgeois, 1907: 292
type species *Themus harmandi* Bourgeois, 1902
1. *badius* Kisenwetter, 1874: 278 (*Cantharis*) — Russian Far East (Kurils) — Japan (Hokkaido, Honshu, Shikoku, Kyushu)
- Themus** Motschulsky, 1857: 27
type species: *Themus cyanipennis* Motschulsky, 1857
- subgenus **Themus** Motschulsky, 1857: 27
type species: *Themus cyanipennis* Motschulsky, 1857
1. *cyanipennis* Motschulsky, 1857: 28 — Russian Far East — Japan (Hokkaido, Honshu, Shikoku)
2. *glasunovi glasunovi* Barovskij, 1909: 325 (*Cantharis*) — Tadzhikistan — Afghanistan, Northern India, Pakistan
- glasunovi alaicus* Kazantsev, 2001: 1076 — Kirghizia
- subgenus **Haplothemus** Wittmer, 1973: 186
type species: *Themus (Haplothemus) gracilis* Wittmer, 1973
3. *ferganensis* Kazantsev, 2001: 1076 — Kirghizia
- subfamily SILINAE Mulsant, 1862
- tribe SILINI Mulsant, 1862
- Crudosilis** Kazantsev, 1994: 102
type species *Crudosilis altaica* Kazantsev, 1994
1. *alaica* Kazantsev, 1998: 289 — Kirghizia
2. *altaica* Kazantsev, 1994: 110 — West Siberia

3. *barovskii* Kazantsev, 1994: 113 — Kazakhstan
4. *beringiana* Kazantsev, 1994: 110 — Russian Far East
5. *dowgailoi* Kazantsev, 1998: 290 — Kirghizia
6. *euphrosyne* Barovskij, 1928: 219 — Tadzhikistan
7. *fergtanica* Kazantsev, 1998: 292 — Kirghizia
8. *lomakini* Chernyshev, 1998: 240 — East Siberia
9. *magadanica* Kazantsev, 1998: 286 — Russian Far East
10. *mongolica* Kazantsev, 1998: 286 — East Siberia — Mongolia
11. *mingrelica* Kazantsev, 1994: 109 — Georgia
12. *motschulskii* Barovskij, 1928: 218 (*Silis*) — East Siberia
- bidentata* Motschulsky, 1859: 568 (*Silis*) [HM] nec Say, 1827
13. *ruficollis* Fabricius, 1775: 206 (*Cantharis*) — Central part of European Russia, West Siberia, Belarus, “Baltic states”, Ukraine, Kazakhstan — Western Europe
- rugicollis* Gebler, 1833: 279 (*Silis*)
14. *rugimana* Kazantsev, 1994: 107 — Russian Far East
15. *tchernyshevi* Kazantsev, 1998: 287 — East Siberia
16. *sandalica* Kazantsev, 1998: 292 — Kirghizia
17. *sexdentata* Mannerheim, 1852/1853: 295 (*Silis*) — East Siberia, Russian Far East — China, Mongolia
18. *tolli* Barovskij, 1928: 220 (*Silis*) — Russian Far East
19. *turkestanica* Kazantsev, 1998: 291 — Kirghizia
20. *xanthoderus* Solsky, 1881: 35 (*Silotrachelus*) — Kirghizia

***Silis* Charpentier, 1825: 194**

type species *Silis spinicollis* Charpentier, 1825 (*Silis nitidula* Fabricius, 1792)

1. *bianchii* Barovskij, 1926: 13 — East Siberia
2. *dzungarica* Kazantsev, 1994: 102 — Kazakhstan
3. *jacutica* Barovskij, 1926: 13 — East Siberia Russian Far East
4. *nitidula* Fabricius, 1792: 220 (*Cantharis*) — Central part of European Russia, “Baltic states”, Ukraine — Western Europe
5. *olschwangi* Kazantsev, 1994: 99 — West Siberia
6. *triimpressa* Pic, 1926: 1 — Russian Far East
7. *urjanhaica* Kazantsev, 1997: 1216 — East Siberia

subfamily MALTHININAE Kiesenwetter, 1852

tribe MALTHININI Kiesenwetter, 1852

***Malthinus* Latreille, 1806: 261**

type species: *Cantharis flaveola* Herbst, 1784

subgenus ***Malthinus* Latreille, 1806: 261**

type species: *Cantharis flaveola* Herbst, 1784

1. *aliceae* Svihla, 1990: 199 — Azerbaijan, Georgia
2. *balteatus* Suffrian, 1851: 50 — Ukraine — Western Europe, Turkey
3. *biguttatus* Linnaeus, 1758: 402 (*Cantharis*) — Northern and Central parts of European Russia, Estonia, Ukraine — Western Europe
4. *bitincticollis* Wittmer, 1997: 343 — Kirghizia
5. *caucasicus* Wittmer, 1974: 420 — Southern part of European Russia, Armenia — Turkey
6. *evidentissimus* Wittmer, 1974: 415 — Armenia
7. *facialis* Thomson, 1864: 195 — Northern, Central and Southern parts of European Russia, Azerbaijan — Western Europe, Turkey
8. *fasciatus* Olivier, 1790: 18 (*Telephorus*) — Central part of European Russia, Ukraine — Western Europe

9. *flaveoloides* Svihla, 1997: 123 — Southern part of European Russia, Georgia — Turkey

10. *flaveolus* Herbst, 1784: 171 (*Cantharis*) — Northern, Central and Southern parts of European Russia, Belarus, Estonia, Latvia, Lithuania, Ukraine — Western Europe

11. *kaszabi* Wittmer, 1974: 418 — “Caucasus” — Turkey

12. *malthodinoides* Kazantsev, 2001: 1081 — Azerbaijan

13. *muchei* Wittmer, 1981: 412 — Tadzhikistan

14. *pseudoflaveolus* Wittmer, 1974: 422 — Southern part of European Russia, Georgia — Turkey

15. *robustus* Motschulsky, 1852/1853: 4 — Southern part of European Russia

16. *swaneticus* Wittmer, 1974: 420 — Southern part of European Russia, Georgia

17. *tadzhikistanicus* Svihla, 1980: 244 — Tadzhikistan

18. *turcicus* Pic, 1899: 206 — Georgia — Central Europe, Turkey

montandoni Pic, 1907: 137

19. *turcmenicus* Svihla, 1980: 244 — Turkmenistan

tribe MALTHODINI Boeving & Craighead, 1930/1931

***Malthodes* Kiesenwetter, 1852: 242**

type species *Malthinus marginatus* Latreille, 1806

subgenus ***Malthodes* Kiesenwetter, 1852: 242**

type species *Malthinus marginatus* Latreille, 1806

1. *abkhasicus* Wittmer, 1979: 141 — Southern part of European Russia, Georgia

2. *adjaricus* Wittmer, 1992: 29 — Georgia

3. *alatauicus* Kazantsev, 1995: 104 — Kirghizia

4. *amplithorax* Wittmer, 1992: 26 — Southern part of European Russia

5. *analica* Gebler, 1843: 38 (*Malthinus*) — “Siberia”

6. *baicalicus* Wittmer, 1970: 15 — East Siberia, Russian Far East

7. *bohaci* Svihla, 2002: 137 — Georgia

8. *bourgeoisii* Reitter, 1888: 210 (*Malchinus*) — Southern part of European Russia, Georgia — Turkey, Iran

rhapidostylus Pic, 1912: 59

9. *brevicollis* Paykull, 1798: 269 (*Cantharis*) — Northern and Central parts of European Russia, West Siberia, East Siberia, Ukraine — Western Europe

10. *castaneicollis* Reitter, 1888: 208 — Southern part of European Russia

11. *caucasicus* Wittmer, 1958: 120 — Southern part of European Russia

12. *chorezmicus* Svihla, 1980: 247 — Uzbekistan

13. *circassicus* Svihla, 1980: 249 — Southern part of European Russia

14. *clermonti* Pic, 1912: 58 — Caucasus (Geok Tapa)

15. *crassicornis* Maeklin, 1846: 179 (*Malthinus*) — Northern, Central and Southern parts of European Russia, Ukraine, Georgia — Western Europe, Iran, Turkey

16. *curtipennis* Motschulsky, 1852/1853: 8 (*Hapaloderus*) — Georgia

17. *debilis* Kiesenwetter, 1852: 296 — Northern, Central and Southern parts of European Russia, Ukraine — Western Europe

volgensis Kiesenwetter, 1872: 377

18. *dilizhanus* Svihla, 1983: 9 — Armenia

19. *dimidiaticollis dimidiaticollis* Rosenhauer, 1847: 20 (*Malthinus*) — Central and Southern parts of European Russia, Ukraine, Kazakhstan — Western Europe, Turkey, Middle East

auritus Motschulsky, 1852/1853: 9

- signaticollis* Barovskij, 1929: 268
 20. *dispar* Germar, 1824: 73 (*Malthinus*) — Ukraine — Western Europe
 21. *emiliae* Pliginsky, 1923: 141 — Ukraine (Crimea)
 22. *fibulatus* Kiesenwetter, 1852: 300 — Northern and Central parts of European Russia, Ukraine — Western Europe
 23. *flavoguttatus* Kiesenwetter, 1852: 294 — Northern and Central parts of European Russia, Ukraine — Western Europe
 24. *fuscus* Wärtl, 1838: 270 (*Malthinus*) — Northern, Central and Southern parts of European Russia, Ukraine — Western Europe
 25. *gibbiceps* Reitter, 1889: 68 (*Malchinus*) — Azerbaijan
 26. *grigorjevi* Barovskij, 1929: 487 — Tadzhikistan
esgaudensis Wittmer, 1993: 299
 27. *guttifer* Kiesenwetter, 1852: 287 — Northern and Central parts of European Russia, Ukraine — Western Europe, Mongolia, China
 28. *jaromiri* Svihla, 2002: 138 — Georgia
 29. *kasantsevi* Wittmer, 1992: 34 — Southern part of European Russia
 30. *kazakhstanicus* Wittmer, 1979: 141 — Kazakhstan
 31. *kerzhneri* Wittmer, 1979: 338 — Russian Far East (Kurils) — Japan (Hokkaido)
nikitskyi Kazantsev, 1995: 100
 32. *kiritshenkoi* Barovskij, 1931: 101 — Russian Far East — Mongolia
kaszabi Wittmer, 1965: 84
 33. *kisilensis* Wittmer, 1970: 60 — Turkmenistan (Kopet-Dagh)
 34. *kobiensis* Wittmer, 1970: 62 — Southern part of European Russia, Georgia
 35. *kopetdagensis* Wittmer, 1970: 59 — Turkmenistan
 36. *kurbatovi* Kazantsev, 1995: 102 — Russian Far East
 37. *lederi* Pic, 1912: 59 — Southern part of European Russia
 38. *ligulati stylus* Wittmer, 1960: 108 — Georgia
 39. *lobicollis* Reitter, 1888: 208 (*Apodistrus*) — “Caucasus”
 40. *lyriformis* Wittmer, 1992: 29 — Southern part of European Russia
 41. *marginatus* Latreille, 1806: 261 (*Malthinus*) — Northern and Central parts of European Russia, Ukraine — Western Europe
 42. *maurus* Castelnau, 1840: 277 (*Malthinus*) — Ukraine — Western Europe
 43. *medvedevi* Wittmer, 1992: 22 — Southern part of European Russia, Georgia
 44. *minimus* Linnaeus, 1758: 402 (*Cantharis*) — Northern, Central and Southern parts of European Russia, West Siberia, East Siberia, Ukraine — Western Europe
 45. *moczarskii* Ganglbauer, 1912: 181 — Ukraine (Crimea)
tauricus Istomina, 1969: 1104
 46. *mutatus* Wittmer, 1970: 40 — Southern part of European Russia
 47. *mysticus mysticus* Kiesenwetter, 1852: 282 — Russian Far East, Ukraine — Western Europe
 48. *nyholmi* Wittmer, 1970: 52 — Southern part of European Russia Turkey, Georgia
 49. *obscuricollis* Motschulsky, 1852/1853: 10 (*Hapaloderus*) — Ukraine (Crimea) — Western Europe
 50. *ordubadensis ordubadensis* Reitter, 1889: 24 — Armenia — Turkey
 51. *orientalicus* Wittmer, 1970: 52 — Southern part of European Russia — Turkey
 52. *parvus* Kazantsev, 1995: 102 — Russian Far East
 53. *pseudobesucheti* Wittmer, 1970: 61 — Southern part of European Russia — Turkey
 54. *pumilus* Brebisson, 1835: 153 — Ukraine — Western Europe, Iran, Turkey
atomus Thomson, 1864: 202
 55. *quadristilus* Wittmer, 1992: 32 — Southern part of European Russia
 56. *romadinae* Kazantsev, 1995: 106 — Turkmenistan
 57. *sotschiensis* Wittmer, 1970: 63 — Southern part of European Russia
 58. *spathifer* Kiesenwetter, 1852: 313 — Northern and Central parts of European Russia, Ukraine — Western Europe
 59. *strejceki* Svihla, 1990: 200 — Southern part of European Russia, Georgia
 60. *sulphuribasis* Reitter, 1888: 209 — Armenia
 61. *sulphuriguttatus* Motschulsky, 1852/1853: 8 (*Hapaloderus*) — Georgia
 62. *tauricus* Pic, 1917e: 13 [RN] — Ukraine (Crimea)
pumilus Motschulsky, 1852/1853: 13 (*Hapaloderus*) [HM] nec Brebisson, 1835
 63. *tianshanicus* Kazantsev, 1995: 106 — Uzbekistan
 64. *tordi* Wittmer, 1970: 52 — Georgia — Turkey
 65. *trifurcatus uralicus* Kazantsev, 1995: 99 — West Siberia (Urals)
 66. *unicolor* Motschulsky, 1852/1853: 9 (*Hapaloderus*) — Georgia
 67. *viridiventris* Motschulsky, 1852/1853: 12 (*Hapaloderus*) — Northern part of European Russia (Ladoga)
- tribe MALCHININI Brancucci, 1980
- Macrocerus** Motschulsky, 1845: 38
 type species: *Macrocerus oculatus* Motschulsky, 1845
Malchinus Kiesenwetter, 1863: 726 type species: *Malthodes sinuatocollis* Kiesenwetter, 1852
1. *oculatus* Motschulsky, 1845: 38 — Southern part of European Russia, Georgia — Turkey
circassicus Reitter, 1889: 67 (*Malchinus*)
rosti Pic, 1900c: 184 (*Malchinus*)
similis Barovskij, 1927: 17 (*Malchinus*)
 2. *nigrinus* Schaufuss, 1866: 180 (*Malchinus*) — Central part of European Russia, Ukraine — Central Europe
- subfamily CHAULIOGNATHINAE Leconte, 1861
- tribe ICHTHYURINI Champion, 1915
- Trypheridium** Brancucci, 1985: 245
 type species *Trypherus nuristanicus* Wittmer, 1956
1. *nuristanicus* Wittmer, 1956: 158 (*Trypherus*) — Tadzhikistan — Afghanistan, Pakistan
lopatini Medvedev, 1964: 44 (*Trypherus*)
- Trypherus** Leconte, 1851: 346
 type species *Malthinus latipennis* Germar, 1824
- subgenus **Trypherus** Leconte, 1851: 346
 type species *Malthinus latipennis* Germar, 1824
1. *niponicus* Lewis, 1879: 463 (*Ichthyurus*) — Russian Far East (Kurils) — Japan (Hokkaido, Honshu, Shikoku, Kyushu)
 2. *rossicus* Barovskij, 1922/1923: 276 (*Ichthyurus*) — Russian Far East
- ACKNOWLEDGEMENTS: I wish to express my deep gratitude to Dr. Ivan Löbl (Musée d’Histoire Naturelle, Gen-

eve) for providing some hard-to-find literature included in the cited references.

References

- Bach M. 1854. Käferfauna für Nord- und Mittel-Deutschland mit besonderer Rücksicht auf die preussischen Rheinlande. II. Coblenz: J. Hoelscher. 392 S.
- Ballion E. 1870. Eine Centurie Neuer Käfer aus der Fauna des russischen Reiches // Bulletin de la Société Impériale des Naturalistes de Moscou. Vol.43. P.351–352.
- Barovskij V.V. 1908. Eine neue Aberration des *Podabrus alpinus* Payk. (1798), und Übersicht der Aberrationen dieser Art (Coleoptera, Cantharididae) // Russkoe Entomologicheskoe Obozrenie [Revue Russe d'Entomologie]. Vol.8. No.2. P.174–176.
- Barovskij V.V. 1908. [Une espèce nouvelle de *Rhagonycha* Esch. de la Sibérie orientale (Coleoptera, Cantharididae)] // Ibidem. Vol.8. Nos.3–4. P.293–294.
- Barovskij V.V. 1909. [New species of *Cantharis* Linn. from Asian Russia (Coleoptera, Cantharididae)] // Ibidem. Vol.9. No.3. P.325–327 [in Russian].
- Barovskij V.V. 1922/1923. Premier représentant du genre *Ichthyurus* Westw. (Coleoptera, Cantharididae) dans la faune de la Russie // Annuaire de la Musée Zoologique, Académie de Sciences. Vol.23. P.276–279.
- Barovskij V.V. 1926a. Cantharidides asiatiques nouveaux (Coleoptera) // Revue Russe d'Entomologie. Vol.20. P.235–244.
- Barovskij V.V. 1926b. [Description d'une nouvelle espèce du genre *Silis* Latr. (Coleoptera)] // Materials of the Committee for Study of the Republic of Yakutia. Vol.3. P.13–14 [in Russian].
- Barovskij V.V. 1927. Une espèce nouvelle caucasique du genre *Malchinus* Kiesw. // Acta Societ. Entom. Staurop. Vol.3. No.1. P.17.
- Barovskij V.V. 1928a. Cantharidides asiatiques nouveaux (Coleoptera). II // Russkoe Entomologicheskoe Obozrenie [Revue Russe d'Entomologie]. Vol.22. Nos.1–2. P.97–100.
- Barovskij V.V. 1928b. Cantharidides asiatiques nouveaux (Coleoptera). III. Espèces nouveaux ou peu connus du genre *Silis* Latr. // Ibidem. Vol.22. Nos.3–4. P.216–222.
- Barovskij V.V. 1929a. Cantharidides asiatiques nouveaux (Coleoptera). IV // Ibidem. Vol.23. Nos.3–4. P.266–269.
- Barovskij V.V. 1929b. Description d'une nouvelle espèce du genre *Malthodes* Kies. de l'Asie Centrale // Comptes Rendus de l'Académie des Sciences de l'URSS. P.487–488.
- Barovskij V.V. 1931. Description d'une nouvelle espèce du genre *Malthodes* Kies. de l'Asie orientale (Coleoptera, Cantharididae) // Ibidem. P.101.
- Baudi a Selve F. 1871. Europeae et Circummediterraneae Faunae Dascillidum et Malacodermatum specierum // Berliner Entomologische Zeitschrift. Bd.15. S.92–130.
- Breisson L.F. de. 1835. Catalogue des insectes de l'ordre des Coléoptères qui se trouvent en Normandie, et notamment aux environs de Falaise, classes conformément aux derniers ouvrages de MM. Latreille et Dejean // Mémoires de la Société Linéenne de Normandie. T.5. P.107–191.
- Bourgeois J. 1886. Faune Gallo-Rhenane ou espèces des Insectes qui habitent la France, la Belgique, la Hollande, le Luxembourg, la Prusse Rhenane, le Nassau et le Valais avec tableaux synoptiques et planches gravees. Coléoptères. 4. Malacodermes (suite) // Revue d'Entomologie. Vol.5. P.101–132.
- Bourgeois J. 1900. [Descriptions] // Bodemeyer E. v. Quer durch Klein-Asien in den Bulghar-Dagh. Emmendingen: Vormalis Doelter. V+169 S.
- Bourgeois J. 1907. Sur quelques Malacodermes de l'Inde // Annales de la Société entomologique de Belgique. Vol.51. P.291–293.
- Brancucci M. 1985. *Trypberidium* n. gen., un nouveau genre pour *Trypberus nuristanicus* Wittmer (Cantharidae, Coleoptera) // Entomologica Basiliensia. Vol.10. P.245–249.
- Castelnau F.L. 1840. Histoire naturelle des insectes coléoptères // Histoire naturelle des animaux articulés. 1. Paris: P. Dumenil. 297 pp.
- Charpentier T. de. 1825. Horae entomologicae, adjectis tabulis novem *coloratis*. Wratislaviae: A.Goschorsky. XVI+255 pp+9 pls.
- Chernyshev S. 1998. [A new species of soldier-beetles of the genus *Crudosilis* (Coleoptera, Cantharidae) from Tuva] // Zoologicheskij Zhurnal. Vol.77. No.2. P.240–242 [in Russian, with English summary].
- Chevrolat A. 1854. Coléoptères de Syrie (Premier Mémoire. — Suite) // Revue et Magazin de Zoologie. Sér.2. Vol.6. P.432–437.
- Dahlgren G. 1968. Beiträge zur Kenntnis der Gattung *Rhagonycha* (Col. Cantharidae) // Entomologische Blätter. Bd.64. Nr.2. S.93–124.
- Dahlgren G. 1972. Beiträge zur Kenntnis der Gattung *Rhagonycha* (Col. Cantharidae) II // Entomologische Blätter. Bd.68. Nr.3. S.129–149.
- Dahlgren G. 1975. Zur Taxonomie der Gattungen *Rhagonycha*, *Pseudocratosilis* und *Cratosilis* (Col. Cantharidae) // Entomologische Blätter. Bd.71. Nr.2. S.100–112.
- Dahlgren G. 1985. Beiträge zur Kenntnis der Gattung *Rhagonycha* (Col. Cantharidae) III // Entomologische Blätter. Bd.81. Nrs.1–2. S.85–90.
- De Geer C. 1774. Mémoires pour servir à l'histoire des insectes. T. 4. Stockholm. 230 pp.
- Dejean P.F.M.A. 1837. Cantharidae // Catalogue des Coléoptères de la collection de M. le Comte Dejean. (3me édition). Paris. 256 pp.
- Depoli G. 1912. Neue Käferformen aus dem Liburnischen Karst // Wiener entomologische Zeitung. B.31. S.101–102.
- Des Gozis M. 1882. Notes et remarques pour le futur catalogue des Coléoptères Gallo-Rhenans // Revue d'Entomologie. Vol.1. P.193–207.
- Dietrich J.K. 1857. Einiges aus dem Gebiete der Schweizerischen Käferfauna // Entomologische Zeitung Stettin. Bd.18. S.117–138.
- Eschscholtz J.F. 1818. Decades tres eleutheratorum novorum descriptis // Mémoires de l'Académie Impériale des Sciences de St. Petersburg. Vol.6. P.451–494.
- Eschscholtz J.F. 1822. Entomographien I. Berlin: G.Reimer. 128 S. + 2 Tfn.
- Eschscholtz J.F. 1830. Nova genera Coleopterorum Faunae Europaeae // Bulletin de la Société Impériale des Naturalistes de Moscou. Vol.2. P.16–65.
- Fabricius J.C. 1775. Systema entomologicae, sistens insectorum classes, ordines, genera, species, adiectis synonymis, locis, descriptionibus, observationibus. Flensburgi & Lipsiae [Flensburg & Leipzig]. XXX+832 pp.
- Fabricius J.C. 1781. Species insectorum exhibentes eorum differentias specificas, synonyma auctorum, loca natalia, metamorphosin adiectis observationibus, descriptionibus. 1. Hamburgi & Kilonii [Hamburg & Kiel]. 552 pp.
- Fabricius J.C. 1792. Entomologiae systematicae emendatae et auctae secundum classes, ordines, genera, species adiectis synonymis, locis, observationibus, descriptionibus. 1. Hafniae [=Copenhagen]. XX+330 pp.
- Faldermann F. 1835. Coleoptera Persico-Armeniaca. Malacodermata // Nouveaux Mémoires de la Société Impériale des Naturalistes de Moscou. Vol.4. No.1. P.181–206.
- Fallen C.F. 1807. Monographia Cantharidum et Malachiorum sveciae. Lundae, Berlingianis. 18 pp.
- Fender K.M. 1966. A New North American Genus of Soldier Beetles // The Pan-Pacific Entomologist. Vol.42. No.4. P.321–323.
- Fischer de Waldheim G. 1844. Spicilegium Entomographiae Rossicae. Malacodermata // Bulletin de la Société Impériale des Naturalistes de Moscou. Vol.17. No.1. P.33–39.
- Ganglbauer L. 1896. Sammelreisen nach Suedungarn und Siebenbürgen. Coleopterologische Ergebnisse derselben. I. Theil // Annalen des k.k. Naturhistorisches Hofmuseum. Bd.11 Nr.2. S.164–187.
- Ganglbauer L. 1912. *Malthodes Moczarskii* nov. spec. // Verh. zool. bot. Ges. Wien. Bd.62. S.181–182.
- Ganglbauer L. 1922. Die europäischen und kaukasischen Arten

- der Gattung *Podistra* s. lato // Münch. Koleopterologische Zeitschrift. Bd.1. S.69–79.
- Gebler F.A. von. 1827. Insecta Sibiriae Rariora // Mémoires de la Société Impériale des Naturalistes de Moscou. Vol.5. P.316.
- Gebler F.A. von. 1832. Notice sur les Coléoptères qui se trouvent dans le District des Mines de Nertchinsk, dans la Sibirie orientale, avec le description des quelques espèces nouvelles // Nouvelles Mémoires de la Société Impériale des Naturalistes de Moscou. Vol.2. P.23–78.
- Gebler F.A. von. 1833. Notae et Addidamenta ad Catalogum Coleopterorum Sibiriae occidentalis et confinis Tartariae operis, C.F. von Ledebourgs Reise in das Altaigebirge und die soongarische Kirgisensteppen (Zweyter Theil. Berlin 1830) // Bulletin de la Société Impériale des Naturalistes de Moscou. Vol.6. P.262–309.
- Gebler F.A. von. 1843. Charakteristik der vom Hor. Dr. Schrenck im Jahre 1841 in den Steppen und Gebirgen der Songarei gefunden neuer Coleopteren-Arten // Bulletin de Classe Physico-Mathématique de l'Académie Impériale des Sciences de St. Petersbourg. Vol.1. P.36–39.
- Germar E.F. 1824. Insectorum Species novae auf minus cognitae descriptionibus illustratae. 1. Halle. 624 pp.
- Goeze J.A.E. 1777. Entomologische Beyträge zu des Ritter Linne zwölften Ausgabe des Natursystems. I. Leipzig: Weidmann, Erben und Reich. XVI + 736 S.
- Gyllenhal L. 1810. Insecta Svecica. Classis I. Coleoptera sive Eleuterata. T. I. P.II. Addenda ad partem Primam. Scaris. P.I–XX.
- Herbst J.F.G. 1783. Catalogue critique de ma collection de Coléoptères // Fuessly Archiv der Insectengeschichte. Bd.4. S.1–151.
- Herbst J.F.G. 1784. Erste Mantisse zum Ferzeichniss der ersten Klasse meiner Insecten Sammlung // Fuessly Archiv der Insectengeschichte. Bd.5. S.153–182.
- Heyden L. von & G. Kraatz. 1885. Beiträge zur Turkestanischen Coleopteren-Fauna // Deutsche Entomologische Zeitschrift. B.29. Nr.2. S.273–297.
- Heyden L. von. 1888. Ueber die von L. Conrard aus dem Alai-Gebirge mitgebrachten Coleopteren. — Beitrag XII // Deutsche Entomologische Zeitschrift. B.32. Nr.1. S.39–44.
- Illiger J.K. 1798. Verzeichniss der Käfer Preussens entworfen von Johann Gottlieb. Halle. 551 S.
- Ishida K. 1986. A revision of the two genera, *Athemus* and *Athemellus*, of Japan (Coleoptera. Cantharidae) // Transactions of the Shikoku Entomological Society. Vol.17. P.193–213.
- Istomina V. 1969. [A new species of the genus *Malthodes* (Coleoptera, Cantharidae)] // Zoologicheskij Zhurnal. Vol.48. No.7. P.1104–1105 [in Russian].
- Jacobson G.G. 1905–1916. Zhuki Rossii, Zapadnoj Evropy i sopredelnyh stran [Beetles of Russia, Western Europe and adjacent countries]. St. Petersburg: Devrien Publ. 1024 pp. + 83 tbs.
- (Kazantsev S.) Kasantsev S. 1989. To the knowledge of Palaeartic Cantharidae (Coleoptera). On the genera *Bactrocantbaris* Barovsky, *Ancistronycha* Maerckel and *Islamocantbaris* Wittmer & Magis of the USSR // Entomologica Basiliensia. Vol.13. P.239–245.
- Kazantsev S. 1992a. [New and little known soldier-beetles (Coleoptera, Cantharidae) from the Caucasus and adjacent territories] // Zoologicheskij Zhurnal. Vol.71. No.1. P.43–52 [in Russian, with English summary].
- (Kazantsev S.) Kasantsev S. 1992b. Contribution to the knowledge of Palaeartic Cantharoidea (Coleoptera). Notes on *Dichelotarsus* Motschulsky // Entomologica Basiliensia. Vol.15. P.276–278.
- Kazantsev S. 1993. [A new genus of soldier-beetles (Coleoptera, Cantharidae) from Central Asia] // Zoologicheskij Zhurnal. Vol.72. No.7. P.154–156 [in Russian, with English summary].
- Kazantsev S. 1994a. [Supplementary remarks to the fauna of soldier-beetles (Coleoptera, Cantharidae) of the Russian Far East] // Zoologicheskij Zhurnal. Vol.73. No.3. P.11–19 [in Russian, with English summary].
- Kazantsev S. 1994b. [A review of *Rhagonycha* species (Coleoptera, Cantharidae) of the Asian part of Russia] // Zoologicheskij Zhurnal. Vol.73. Nos.7–8. P.71–100 [in Russian, with English summary].
- (Kazantsev S.) Kasantsev S. 1994c. The Palaeartic species of the genus *Silis* Charpentier with the description of *Crudosilis* n.gen. (Coleoptera, Cantharidae) // Elytron. Vol.8. P.93–115.
- Kazantsev S. 1995a. A key to *Rhagonycha* (Coleoptera, Cantharidae) east of the Ural Mountains with the description of a new subgenus // Entomologica Basiliensia. Vol.18. P.91–98.
- Kazantsev S. 1995b. New taxons of Palaeartic *Malthodes* (Coleoptera, Cantharidae) // Entomologica Basiliensia. Vol.18. P.99–108.
- Kazantsev S. 1996. [Review of soldier-beetles of the genus *Podabrus* (Coleoptera, Cantharidae) of Russia] // Zoologicheskij Zhurnal. Vol.75. No.2. P.200–211 [in Russian, with English summary].
- Kazantsev S. 1997. [New species of *Silis* with notes on the zoogeography of the genus (Coleoptera, Cantharidae)] // Zoologicheskij Zhurnal. Vol.76. No.10. P.1214–1217 [in Russian, with English summary].
- Kazantsev S. 1998a. [New Palaeartic species of *Crudosilis* (Coleoptera, Cantharidae)] // Zoologicheskij Zhurnal. Vol.77. No.3. P.285–294 [in Russian, with English summary].
- Kazantsev S. 1998b. [New Russian species of *Dichelotarsus* Motschulsky (Coleoptera, Cantharidae)] // Zoologicheskij Zhurnal. Vol.77. No.5. P.572–575 [in Russian, with English summary].
- Kazantsev S. 1998c. [On *Podistra* Motschulsky complex (Coleoptera, Cantharidae) of Russia and adjacent territories] // Zoologicheskij Zhurnal. Vol.77. No.6. P.689–695 [in Russian, with English summary].
- Kazantsev S. 1998d. [New species of soldier-beetles from the genus *Bactrocantbaris* (Coleoptera, Cantharidae)] // Zoologicheskij Zhurnal. Vol.77. No.7. P.865–866 [in Russian, with English summary].
- Kazantsev S. 2001. [New taxa of soldier-beetles (Coleoptera, Cantharidae) from Central Asia and the Caucasus] // Zool. Zhurn. Vol.80. No.9. P.1076–1082 [in Russian, with English summary].
- Kazantsev S. 2001/2002. New cantharid genus from North America and Far East Asia // Elytron. Vol.15. P.43–48.
- Khnzoryan S.M. 1959. [New species of Coleoptera from Talysh] // Trudy Akademii Nauk Azerbaidzhanskoi SSR. Vol.3. P.58–59 [in Russian].
- Kiesenwetter H. von. 1851/1852. Enumeration des Coléoptères trouves dans le midi de la France et en Catalogne // Annales de la Société entomologique de France. Sér.2. Vol.9. P.577–656.
- Kiesenwetter H. von. 1852. Beiträge zu einer Monographie der Malthinen // Linn. ent. Bd.7. S.239–324.
- Kiesenwetter H. von. 1859. Beitrag zur Käferfauna Griechenlands // Berliner Entomologische Zeitschrift. B.3. S.17–34.
- Kiesenwetter H. von. 1863. Naturgeschichte der Insecten Deutschlands. Abteilung 1. 4. Nachträge, Zusätze und Berichtigungen. Berlin: NicolaischeVerl. 746 S.
- Kiesenwetter H. von. 1872. Revision der europäischen Arten der Gattung *Malthodes* (Erstes Stuck) // Berliner Entomologische Zeitschrift. B.16. S.369–392.
- Kiesenwetter H. von. 1874. Die Malacodermen Japans (nach dem Ergebnisse der Sammlungen des Herrn G. Lewis während der Jahre 1869–1871) // Berliner Entomologische Zeitschrift. Bd.18. S.241–288.
- Kolenati F.A. 1846. Meletemata Entomologica. V. Acad. Petropoli. 170 pp.
- Krynicky J. 1832. Enumeratio Coleopterorum Rossiae meridionalis et praecipue in Universitatis Caesareae Charkoviensis circulo obvientium, quae annorum 1829–1831 spatio obsevat // Bulletin de la Société Impériale des Naturalistes de Moscou. Vol.5. P.69–206.
- Kuester H.C. 1854. Die Käfer Europa's. Nuernberg: Bauer und Raspe. 100 S.
- Latreille P.A. 1806. Genera Crustaceorum et Insectorum secundum ordinem naturalem in familias disposita, iconibus exemplisque plurimis explicata. V. 1. Parisiis; Argentorati:

- Amand Koenig. XVIII + 302 pp + 16 pls.
- Lecante J.L. 1851. Synopsis of the Lampyridae of Temperate North America // Proceedings of the Academy of Natural Sciences of Philadelphia. Vol.5. P.331-347.
- Letzner K. 1846. *Cantharis sudetica* nov. spec. // Arbeit. Schles. Ges. Vaterl. Kultur. P.75.
- Lewis G. 1895. On the Dascillidae and Malacoderm Coleoptera of Japan // The Annals and Magazine of Natural History. Ser.6. Vol.16. P.98-122.
- Linnaeus C. 1758. Systema naturae, sive regna naturae systematice proposita, per classes ordines, genera et species. ed. X. Holmiae, Tinea. 823 pp.
- Linnaeus C. 1767. Systema naturae, sive regna naturae systematice proposita, per classes ordines, genera et species. ed. XII. Holmiae. 736 pp.
- Maeklin F.W. 1846. Coleoptera myrmecophila fennica // Bulletin de la Société Impériale des Naturalistes de Moscou. Vol.19. No.1. P.157-193.
- Maerkel. 1851/1852. Rémarques // Kiesenwetter H. Enumeration des Coléoptères trouvés dans le midi de la France et en Catalogne // Annales de la Société entomologique de France. Ser.2. Vol.9. P.577-656.
- Mannerheim C.G. 1825. Novae Coleopterorum Species Imperii Rossici incolae // Hummel A.D. Essais entomologiques. 4. St. Petersbourg. P.19-41.
- Mannerheim C.G. 1843. Description de quelques autres nouvelles especes de Coléoptères de Finlande // Bulletin de la Société Impériale des Naturalistes de Moscou. Vol.16. P.88-93.
- Mannerheim C.G. 1849. Insectes Coléoptères de la Sibérie Orientale, nouveaux ou peu connus // Ibidem. Vol.22. No.1. P.220-249.
- Mannerheim C.G. 1852/1853. Insectes Coléoptères de la Sibérie Orientale, nouveaux ou peu connus // Ibidem. Vol.25. No.4. P.273-309.
- Marseul S.-A. de. 1864. Telephorides. Tribu de la famille des Malacodermes // L'Abeille. Vol.1. P.1-112.
- Marseul S.-A. de. 1868. Description d'espèces nouvelles // L'Abeille. Vol.5. P.171-218.
- Medvedev L.N. 1964. [New species of *Ichthyurus* (Coleoptera, Cantharidae) from Tadzhikistan] // Doklady Akademii Nauk Tadzhikskoi SSR. Vol.7. No.6. P.44-46 [in Russian, with Tadzhik summary].
- Medvedev L.N. & A.B. Ryvkin. 1989. [New species of *Rhagonycha* (Coleoptera, Cantharidae) from Siberia and Far East] // Zoologicheskij Zhurnal. Vol.68. No.10. P.138-141 [in Russian, with English summary].
- Ménétriér E. 1832. Catalogue raisonne des objets de Zoologie recueillis dans un voyage au Caucase et jusqu'aux frontieres actuelles de la Perse. St.-Petersbourg. 271 pp.
- Menetrier E. 1836. Insectes nouveaux de la Turquie // Bulletin de l'Académie Imperiale des Sciences de St. Petersburg. Vol.1. P.149-151.
- (Motschulsky V.) Victor T. 1839. Coléoptères du Caucase et des provinces transcausiennes // Bulletin de la Societe Imperiale des Naturalistes de Moscou. Vol.12. No.1. P.78-80.
- (Motschulsky V.) Motchoulsky V. de. 1845. Remarques sur la collection de Coléoptères russes // Ibidem. Vol.18. No.1. P.3-127.
- Motschulsky V. 1852/1853a. Malthinides // Etudes entomologiques. Vol.1. P.1-15.
- Motschulsky V. 1852/1853b. Nouveautés // Etudes entomologiques. Vol.1. P.77-79.
- Motschulsky V. 1857. Insectes du Japon // Etudes entomologiques. Vol.6. P.25-41.
- (Motschulsky V.) Motschoulsky V. de. 1859a. Coléoptères du Gouvernement de Iakutsk, recueillis par M. Pavlovski // Bulletin de Classe Physico-Mathématique de l'Académie Imperiale des Sciences de St. Petersburg. Vol.17. P.567-574.
- Motschulsky V. 1859b. Coléoptères nouveaux de la Californie. Malacodermata // Bulletin de la Societe Imperiale des Naturalistes de Moscou. Vol.32. No.4. P.357-491.
- Motschulsky V. 1860. Coléoptères de la Sibérie orientale et en particulier des rives de l'Amour. Malacodermata // Schrenck's Reisen. P.114-118.
- Mueller O.F. 1764. Fauna insectorum Fridrichsdalina, sive methodica descriptio insectorum agri Fridrichsdalinensis. Hafniae, Lipsiae. 96 pp.
- Mueller O.F. 1776. Zoologicae Danie prodromus, seu animalium Daniae et Norvegiae. Hafniae. 282 pp.
- Mulsant E. 1862. Histoire Naturelle des Coléoptères de France. Tableaux methodiques des Coléoptères mollipennes de France. Paris: Magnin, Blanchard et Co. 440 pp.
- Nakane T. & T. Makino 1990. A revision of the genus *Podabrus* Westwood in Japan (III) (Insecta, Coleoptera, Cantharidae) // Fragmenta Coleopterologica. Vol.45/48. P.183-198.
- Olivier A.G. 1790. Entomologie, ou histoire naturelle des insectes, avec leurs caracteres generiques et specifiques, leur description, leur synonymie et leur figure enluminee. T. 2. Paris. 497 pp.
- Paykull G. de. 1798. Fauna Suecica. Coleoptera. I. Upsaliae. 358 pp.
- Pic M. 1899. [Communication a séance du 9 juillet] // Bulletin de la Société d'Histoire Naturelle d'Autun. Vol.12. No.2. P.201-210.
- Pic M. 1900. Coléoptères nouveaux de la faune paléarctique // Bulletin de la Société zoologique de France. Vol.25. P.182-185.
- Pic M. 1902a. Diagnoses des Coléoptères de l'ancien et du Nouveau Monde // L'Echange. Vol.18. P.23-26.
- Pic M. 1902b. Descriptions et notes diverses (3e article) // L'Echange. Vol.18. No.212. P.47-49.
- Pic M. 1902c. Descriptions et notes diverses (4e article) // L'Echange. Vol.18. No.213. P.55-56.
- Pic M. 1902d. Coléoptères presumés nouveaux de la faune circummediterranéenne // L'Echange. Vol.18. No.214. P.63-65.
- Pic M. 1904. Diagnoses de Coléoptères asiatiques provenant surtout de Sibérie // L'Echange. Vol.20. No.232. P.25-33.
- Pic M. 1905a. Descriptions abrégées et notes diverses (2e article) // L'Echange. Vol.21. No.243. P.113.
- Pic M. 1905b. Descriptions abrégées et notes diverses (3e article) // L'Echange. Vol.21. P.121-122.
- Pic M. 1906a. Noms nouveaux et diagnoses de "Cantharini" (Telephorides) européens et exotiques // L'Echange. Vol.22. No.263. P.81-85.
- Pic M. 1906b. Noms nouveaux et diagnoses de "Cantharini" (Telephorides) européens et exotiques (suite) // L'Echange. Vol.22. No.264. P.89-93.
- Pic M. 1907. Notes entomologiques diverses (suite) // L'Echange. Vol.23. No.270. P.137-139.
- Pic M. 1909. Descriptions ou diagnoses et notes diverses (suite) // L'Echange. Vol.25. P.169-177.
- Pic M. 1912a. Nouveaux "Malthodes" Ksw. Palearctiques // L'Echange. Vol.28. No.332. P.58-61.
- Pic M. 1912b. Anomalies, captures et nouveautés de Coléoptères // L'Echange. No.28. No.335. P.81-83.
- Pic M. 1913. Notes diverses, descriptions et diagnoses (suite) // L'Echange. Vol.29. No.348. P.185-187.
- Pic M. 1914. Contribution à l'étude des "Cantharis" L. du Turkestan // L'Echange. Vol.30. No.349. P.2-6.
- Pic M. 1917. Notes diverses, descriptions et diagnoses (suite) // L'Echange. Vol.33. No.382. P.13-15.
- Pic M. 1921. Nouveautés diverses // Melanges exotico-entomologiques. Vol.33. P.1-32.
- Pic M. 1922. Notes diverses, descriptions et diagnoses (suite) // L'Echange. Vol.38. No.407. P.17-19.
- Pic M. 1926a. Notes divers, descriptions et diagnoses (suite) // L'Echange. Vol.42. No.423. P.1-2.
- Pic M. 1926b. Entomologische Ergebnisse der Schwedischen Kamtschatka-Expedition 1920-1922. 7. Coleoptera // Ark. Zool. Bd.18B. No.3. S.1-5.
- Pic M. 1929. Nouveautés diverses // Melanges exotico-entomologiques. Vol.54. P.1-36.
- Pic M. 1933. Notes divers, nouveautés // L'Echange. Vol.49. No.453. P.9-11.
- Pliginsky V. 1923. Espèces nouvelles des Coléoptères palearctiques // Revue Russe d'Entomologie [Russkoe Entomol. Obozr.]. Vol.18. P.141-143.
- Redtenbacher L. 1842. Quaed. Gen. Spec. Col. Austr. Wien. P.13.
- Reitter E. 1888. Coleopteren aus Circassien, gesammelt von Hans Leder im Jahre 1887. V. Teil // Wiener Entomologische

- Zeitung. Bd.7. S.207–214.
- Reitter E. 1889a. Coleopteren aus Circassien, gesammelt von Hans Leder im Jahre 1887. X. Teil // *Ibidem*. Bd.8. S.63–70.
- Reitter E. 1889b. Neue Coleopteren aus Circassien, gesammelt von A. Starck // *Ibidem*. Bd.8. H.3. S.98–101.
- Reitter E. 1891. Neue Coleopteren aus Europa, den angrenzenden Ländern und Siberien, mit Bemerkungen über bekannte Arten // *Deutsche Entomologische Zeitschrift*. S.17–36.
- Reitter E. 1893. Achter Beitrag zur Coleopteren-Fauna des russischen Reiches // *Wiener Entomologische Zeitung*. Bd.12. S.109–114.
- Reitter E. 1898. Siebzehnter Beitrag zur Coleopteren-Fauna des russischen Reiches // *Ibidem*. Bd.17. H.4–5. S.122–124.
- Reitter E. 1906. Neue Coleopteren aus der palaearktischen Fauna // *Ibidem*. Bd.25. H.1. S.31–37.
- Rosenhauer W.G. 1847. Beiträge zur Insekten-Fauna Europas. I. Beschreibung von sechzig neuen Käferarten aus Bayern, Tyrol, Ungarn u.s.w. Erlangen: Th. Bläsing. 66 S.
- Sahlberg J. 1871. Anteckningar till Lapplands Coleopter-Fauna // *Notiser ur Saellskapets pro Fauna et Flora Fennica*. Bdl.11. S.385–440.
- Sahlberg J. 1887. Bidrag till Tschuktsch halfoens insect-fauna. Coleoptera och Hemiptera insamlade under "Vega"-expeditionen // *Vega-Exped. Vetensk. Jakttag*. Stockholm. Bd.4. S.1–42.
- Schauffuss L.W. 1866. Coleopterorum europaeorum species novae // *Revue et Magazin de Zoologie*. Ser.2. Vol.18. P.180–181.
- Scopoli J.A. 1763. *Entomologia Carniolica, exhibens Insecta Carnioliae Indigena, et distributa in ordines, genera, species, varietates. Methodo Linnaeana. Vindobonae: Iohannes Thomae Trattner*. 420 pp.
- Solsky S.M. 1881–1882. [New or little known Coleoptera of the Russian Empire and adjacent countries] (continuation) // *Hor. Soc. Entom. Ross*. Vol.13. P.31–37.
- Stierlin G. 1889. *Fauna Coleopterorum Helvetica*. Vol.2. 662 pp.
- Suffrian. 1851. [Descriptions] // *Kuster H.C. Die Käfer Europa's nach der Natur beschrieben*. 22. Nuremberg: Bauer & Raspe Verlag. S.49–55.
- Svihla V. 1977. New *Rhagonycha* species from the Caucasus and Lebanon (Coleoptera, Cantharidae) // *Acta Entomologica Bohemoslovaca*. Vol.74. No.3. P.178–183.
- Svihla V. 1980. New species of Malthinini (Coleoptera, Cantharidae) from the Palaearctic region // *Ibidem*. Vol.77. P.242–251.
- Svihla V. 1983. New species of the family Cantharidae (Coleoptera) from the west Palaearctic // *Annotationes Zoologicae et Botanicae*. Vol.156. P.1–10.
- Svihla V. 1990. Notes on Cantharidae (Coleoptera) from the western Palaearctic region, with description of new species // *Acta Entomologica Bohemoslovaca*. Vol.87. P.195–203.
- Svihla V. 1992. Revision of the subfam. Cantharinae without *Podabrus* (Coleoptera, Cantharidae) from Soviet Central Asia, Afghanistan and Chinese Turkestan // *Entomologica Basiliensia*. Vol.15. P.279–332.
- Svihla V. 1993. Contribution to the knowledge of the genus *Rhagonycha* Eschscholtz (Coleoptera, Cantharidae) from Eastern Mediterranean // *Ibidem*. Vol.16. P.255–277.
- Svihla V. 1995. Contribution to the knowledge of the genus *Rhagonycha* Eschscholtz (Coleoptera, Cantharidae) II // *Ibidem*. Vol.18. P.71–90.
- Svihla V. 1997. Contribution to the knowledge of the subfamily Malthininae (Coleoptera, Cantharidae) from the Western Palaearctic // *Casopis Narodniho muzea Rada prirodovedna*. Vol.166. Nos.1–4. P.123–126.
- Svihla V. 1999. Contribution to the knowledge of the genus *Cantharis* L. and related genera from Turkey and adjacent regions (Coleoptera, Cantharidae) // *Entomologica Basiliensia*. Vol.21. P.135–170.
- Svihla V. 2002. A contribution to knowledge of the subfamily Malthininae (Coleoptera: Cantharidae) // *Folia Heyrovskiana*. Vol.10. No.2–3. P.119–154.
- Thomson C.G. 1864. *Skandinavien Coleoptera synoptiskt bearbetade*. 6. Lund. 385 pp.
- Waltl J. 1838. Beiträge zur nachern naturhistorischen Kenntniss des Unterdonaukreises in Bayern // *Isis. Encyclopaedische Zeitschrift, vorzüglich naturgeschichte, vergleichende Anatomie und Physiologie, von Oken*. Heft 4. S.250–273.
- Westwood J.O. 1840. *An Introduction to the modern Classification of Insects; founded on the natural habits and corresponding organisation of the different families. II. Synopsis of the genera of Insects*. London: Longman, Orme, Green, and Longmans. 158 pp.
- Wittmer W. 1956. Afghanistan Ausbeute von Herrn J. Klapperich, 1952/53 (Col.). 1. Teil // *Rev. Suisse Zool*. Vol.63. P.115–161.
- Wittmer W. 1958. 23. Beitrag zur Kenntnis der palaearktischen Malacodermata (Col.) // *Ent. Arb. Mus. Frey*. Bd.9. S.114–130.
- Wittmer W. 1960. 24. Beitrag zur Kenntnis der palaearktischen Malacodermata (Col.) // *Mitteilungen der Schweizerischen Entomologischen Gesellschaft*. Bd.33. S.107–110.
- Wittmer W. 1965. Ergebnisse der zoologischen Forschungen von Dr. Z. Kaszab in der Mongolei. 43. Cantharidae (Col.) // *Reichenbachia*. Bd.7. S.83–85.
- Wittmer W. 1966. 33. Beitrag zur Kenntnis der palaearktischen Malacodermata (Col.) // *Ann. & Mag. Nat. Hist*. Vol.13. No.9. S.491–503.
- Wittmer W. 1969a. Synonymische und systematische Notizen über Coleopteren // *Mitteilungen der Schweizerischen Entomologischen Gesellschaft*. Bd.42. S.126–134.
- Wittmer W. 1969b. Zur Kenntnis der Gattung *Metacantharis* Bourg. (Col. Cantharidae) // *Verh. Naturf. Ges. Basel*. Bd.80. S.70–93.
- Wittmer W. 1970. Zur Kenntnis der Gattung *Malthodes* (Coleoptera, Cantharidae) (49. Beitrag zur Kenntnis der palaearktischen Cantharidae) // *Entom. Arb. Mus. Frey*. Bd.21. S.13–107.
- Wittmer W. 1971. Ergebnisse der zoologischen Forschungen von Dr. Z. Kaszab in der Mongolei. Cantharidae der V. & VI. Expeditionen. (49. Beitrag zur Kenntnis der palaearktischen Cantharidae) // *Ann. Hist.-Nat. Mus. Nat. Hungarici (Zool)*. T.63. P.189–203.
- Wittmer W. 1972a. 55. Beitrag zur Kenntnis der palaearktischen Cantharidae & Malachidae // *Entom. Arb. Mus. Frey*. Bd.23. S.122–141.
- Wittmer W. 1972b. 56. Beitrag zur Kenntnis der palaearktischen Cantharidae (Col.) // *Mitteilungen der Schweizerischen Entomologischen Gesellschaft*. Bd.45. S.61–77.
- Wittmer W. 1974. Zur Kenntnis der Gattung *Malthinus* Latr. II. (Col. Cantharidae) // *Entom. Arb. Mus. Frey*. Bd.25. S.358–427.
- Wittmer W. 1978. Ergebnisse der Bhutan-Expedition 1972 des Naturhistorischen Museums in Basel. Coleoptera. Fam. Cantharidae (4. Teil) und Bemerkungen zu einigen Arten aus angrenzenden Gebieten // *Entomologica Basiliensia*. Bd.3. S.151–161.
- Wittmer W. 1979a. 64. Beitrag zur Kenntnis der palaearktischen Cantharidae, Phengodidae und Malachiidae (Col.) // *Ibidem*. Bd.4. S.327–346.
- Wittmer W. 1979b. 65. Beitrag zur Kenntnis der palaearktischen Cantharidae und Malachiidae (Col.) // *Ent. Arb. Mus. Frey*. Bd.28. S.133–156.
- Wittmer W. 1981a. 68. Beitrag zur Kenntnis der palaearktischen Cantharidae und Malachiidae (Col.) // *Entomologica Basiliensia*. Bd.6. S.406–415.
- Wittmer W. 1981b. Die Gattung *Habronychus* (Col. Cantharidae) auf dem indischen Subcontinent (34. Beitrag zur Kenntnis der indo-malaiischen Cantharidae) // *Ibidem*. Bd.6. S.399–405.
- Wittmer W. 1982. Die Familie Cantharidae (Col.) auf Taiwan (1. Teil) // *Ent. Rev. Jap*. Vol.37. No.2. P.119–140.
- Wittmer W. 1992. Die Malthininae (Coleoptera Cantharidae) des Caucasus // *Russian Entomological Journal*. Vol.1. No.1. P.17–35.
- Wittmer W. 1993. 79. Beitrag zur Kenntnis der palaearktischen Fauna (Coleoptera — Cantharidae) // *Entomologica Basiliensia*. Bd.16. S.279–305.
- Wittmer W. 1997. Neue Cantharidae (Col.) aus dem indo-malaiischen und palaearktischen Faunengebiet mit Mutationen. 2. Beitrag // *Ibidem*. Bd.20. S.223–366.
- Wittmer W. & N. Magis. 1978. Zur Kenntnis einiger mit *Cantharis* L. verwandter Gattungen (Coleoptera, Cantharidae) // *Bull. Ann. Soc. r. belge Ent*. Vol.114. P.133–139.